

- Calyculosphaeria**, 24, 25, 29, 37, 45;
 acervata, 29; aniceps, 29; calyculus,
 29; **calyculus**, 51; chiliopyxis, 29;
 collapsa, 52; corticata, 29; crus-
 tacea, 29; fusariospora, 29; Granati,
 29; leptosporoides, 29; **macrospora**,
 53; media, 29; **pezizoidea**, 51; pusil-
 lima, 30; recedens, 30; roseospora,
 30; suberis, 30; **tristis**, 48, 52
 Calyptrogyne, 73, 76, 79, 81
 Campanularius, 1
 Carya alba, 212
 Castanea, 122; dentata, 157
 Celtis, 75
 Ceratostomella, 40
 Cercospora, 145
 Cerenella farinacea, 278; **Ravenelii**,
 278
 Chaetomiaceae, 110
 Chaetomium, 110; Fieberi, 110; glo-
 bosum, 110; pusillum, 38
Chaetosphaeria, 48
 Chaetosphaeria, 49; phaeostroma, 49;
 tristis, 49
 Chamaecyparis lawsoniana, 157
 Chanterel cinnabarinus, 243
 Charrinia, 123
 Chrysomyxa abietis, 183, 184, 186;
 The genus, James R. Weir, 183;
 Weirii, 184
 Cinnamomum Camphora, 195
 Cladonia Beaumontii, 81; divaricata,
 81; medusina, 81; uncialis, 81
 Cladosporium, 101, 145, 149; Citri,
 149
 Clathrus, 189
 Clavaria, 148, 218; flavuloides, 148;
 Krombholzii, 148; mutans, 148;
 ornatipes, 148; pilosa, 148; pinicola,
 148; subcorticalis, 148; subtilis,
 148; tenax, 148; typhuloides, 148;
 vestipes, 148
 Clitocybe, 188
 Clitopilus, 15; conissans, 14
 Clypeosphaeriaceae, 112
 Coccocarpia pellita genuina, 83; parme-
 lioides, 83; smaragdina, 83; tenuior,
 83
 Cocolobis, 78, 83; uvifera, 116
 Coccothrix, 70, 83, 87
 Coccotrema, 71
 Cook, Melville T., The life history of
 Nectria ipomoea, 233
Coleosphaeria, 26, 28, 29, 30, 34, 36,
 42, 48; acervata, 37; aniceps, 34;
 Beccariana, 55, 56; calyculus, 51;
 chiliopyxis, 37; corticata, 38; crus-
 tacea, 35; cupularis, 32; exilis, 38;
 Fuckelii, 30; fusariospora, 39; Gra-
 nati, 35; leptosporoides, 58, 59, 60,
 61; media, 35; pusillima, 40; radi-
 calis, 41; roseospora, 42; subcon-
 nata, 42; Suberis, 36; **tristis**, 49
 Colletotrichum, 91, 145
 Collybia dryophila, 243; maculata, 243;
 platyphylla, 243; velutipes, 144
 Colpothrinax, 87
 Coltricia splendens, 244
 Coniophora cerebella, 155, 164
 Coniothyrium diplodiella, 123
 Conocarpus, 82, 84, 87
 Copelandia, 99
 Coprinus, 12, 100; micaceus, 151
 Cordia collococca, 88
 Cordyceps, 281; herculea, 244; Sphin-
 gum, 280; Sphingum (Schw.) in the
 Philippines, Albert W. C. T. Herre,
 280
Coriopsis crocata, 278; rigida, 278;
serialis, 278
 Coriolus bififormis, 278; brachypus,
 278; maximus, 278; membranaceus,
 278; nigromarginatus, 278; ochro-
 tintellus, 278; pinsitus, 279; sector,
 279; sericeohirsutus, 279; versi-
 color, 244, 279
 Coronophoraceae, 26
 Coronophorella, 38
 Cortinariu bistreoides, 241; citri-
 nellus, 241; glaucopoides, 241;
 griseoluridus, 241; metarius, 241;
 nigroscapitatus, 241; pinetorum,
 241
 Creonectria, 109; ochroleuca, 109
 Cronartium ribicola, 193
 Crucibulum vulgare, 244
 Cryptospora, 45
 Cryptothrips floridensis, 195
 Cucurbitariaceae, 25
 Cucurbitaria berberidis, 25; cupularis,
 32; radicalis, 41
 Curatella, 75, 83
 Cyathisphaeria, 26, 28; cupularis, 28,
 32
 Cycloporellus iodinus, 279
 Cytospora chrysosperma, 147

- Dacrymyces, 103; deliquescent, 144;
 destructor, 104; hyalina, 99; stil-
 latus, 144; syringicola, 104
 Daedalea amanitoides, 279; confragosa,
 279; Hobbsii, 98; quercina, 239;
 subconfragosa, 99
 Daldinia, 127; concentrica, 244
 Dark-spored Agarics—V. Psilocybe,
 W. A. Murrill, 1
 Daucus carota, 104
 Decay of lumber and building mate-
 rials due to Poria incrassata (B. &
 C.) Burt, J. C. Humphrey, 258
 Delonix regia, 115
 Dematium pullulans, 101

- Dendrophoma*, 178
Diaporthe juglandis, 194
Diatriypaceae, 115
Diatriypella, 115; verruciformis *Spe-gazziniana*, 115
Dichodium Byrsinum, 82
Diplodia, 41
Dictyomollisia albedo-granulata, 202
Dictyonella erysiphoides, 199
Dothiorella, 41
Dothichiza populea, 147
Dothidea episphaeria, 39
Drosophila appendiculata, 278
- Echidnodella*, 197, 201, 202
Elfvigia tornata, 100, 279; megaloma, 100, 244
Elfvigiella fomentaria, 244; marmorata, 279
Endocarpon, 73
Endogone, 245, 250
Endogone malleola Hark., 245, 255, 256; Some observations on the development of, 245
Endothella, 198; *Tapirae*, 197
Endothia, 115; *Coccolobii*, 107, 115
Endothiella, 116; *longirostris*, 116
Engleromyces, 127; *Goetzii*, 127
Entonaema, 127
Eucalyptus, 122
Eugenia, 78, 79, 80
Eumitria implicita, 84
Eutypella bambusina, 108, 114; *linearis*, 108, 114; *sabalina*, 114
Exostema, 75, 78, 79
- Fáris*, James A., *Anthracoze of the Boston fern*, 89
Fitzpatrick, Harry Morton, *Monograph of the Nitschkieae*, 23, 45
Florida fungi, W. A. Murrill, 278
Fomes, 216; *Bakeri*, 99; *fomentarius*, 241; *fulvus*, 224; *igniarius*, 216; *Laricis*, 97; *officinalis*, 158, 164; *pinicola*, 97; *roseus*, 98, 158, 159, 164, 279
Fomitella supina, 279
Fracchiacea, 25, 42; *callista*, 25; *pauidria*, 40; *subcongregata*, 40; *subconnata*, 42
Fragosphaeria, 124, 126; *purpurea*, 124
Fuligo ovata, 153, 164
Fulvifomes Robiniae, 244
Fungi, Life history and undescribed genera and species of, C. L. Shear, 120
Fusarium, 193, 250
Fusicoccum, 239
- Ganoderma sessile*, 145; *subincrastatum*, 279; *sulcatum*, 279; *Tsugae*, 244
Geaster hygrometricus, 244
Genipa, 75
Gibbera moricarpa, 42
Gibberella pulicaris, 33
Glaziella, 126
Gloeophyllum hirsutum, 279; *striatum*, 279
Gloeoporus, 99; *conchoides*, 99
Gloeosporium, 145; *polygoni*, 241
Glomerella, 92; *cingulata*, 92; *gossypii*, 92; *nephrolepis*, 92
Glyphis cicatricosa, 179
Gnomonia papillostoma, 241
Graphina poitaei, 78; *sophistica*, 78; *virginea*, 78
Graphis Afzelii, 78; *elegans*, 78; *glaucescens*, 78; *nitida*, 78; *pavoniana*, 78; *scripta*, 78; *tenella*, 78; *vestita*, 78
Guazuma, 78
Guignardia, 131; *bidwellii*, 130; *vac-cinii*, 131
Gymnanthes, 75, 79
Gymnosporangium, 244
Gyrostomum scyphuliferum, 80
- Haematomma puniceum leprarioides*, 83
Hapalopilus gilvus, 279; *lienoides*, 279; *subrubidus*, 99
Haplosporella dulcamara, 241
Helotium alnicola, 241
Herpotrichia collapsa, 52
Herre, Albert W. C. T., *Cordyceps Sphingum* (Schw.) in the Philippines, 280
Heufleria sepulta, 75
Hexagonia, 99
Hippomane, 74, 75, 78
Hirtella, 76, 80
Holcus Sorghum, 132
Holway, Professor, J. C. Arthur, 242
Homostegia parasitica, 39
Humphrey, C. J., Decay of lumber and building materials due to *Poria incrassata*, 258
Hygrophorus psittacinus, 243
Hypena, 281
Hypholoma, 15, 150; *Candolleum*, 150; *fasciculare*, 243; *lacrymabundum*, 150; *pelianthum*, 150; *phyllogenum*, 3; *perplexum*, 150, *squallidum*, 6; *velutinum*, 151
Hypocreopsis, 46
Hypocreales, 108
Hypophyllum polycephalum, 7
Hypospila pustula, 181
Hypoxylon, 116, 129; *coccineum*, 116; *cupulare*, 32; *effusum*, 117; *minu-*

- tum, 117; ovinum, 129; petersii, 126; rubiginosum, 116
Hypsiphora, 103, 104; callorioides, 103; destructor, 103, 104; syringicola, 104
Hysterium, 242; pulicare, 242
Ichthyomethia, 76
Ilex paraguensis, 63
Inonotus betulina, 279; Clemensiae, 99; Schini, 145
Irpex, 226; tulipiferus, 226
Isaria, 281
Jambos, 75
Jasminum simplicifolium, 117
Kusanoa, 199
Kusanoopsis, 199, 205; **guianensis**, 200, 205
Laccaria, 188
Lachnocladium, 148
Lactaria lactiflua, 243; subdulcis, 243
Laetiporus sulphureus, 244, 279
Lagenaria, 115
Lasiosphaeria, 59, 60; pseudobombarda, 59; solaris, 59; suberis, 36; sublanosa, 59
Lantana involuerata, 111
Lauraceae, 202
Lecanactis americana, 79
Lecanora calcarea contorta, 83; cinerea, 83; cinereocarpa, 83; pro-secha, 83; varia, 83
Lecidea Brujeriana, 80; isidiotyla, 81; piperis, 80; pyrrhomelaena, 72, 80
Lentodium squamulosum, 162, 163, 164, 165
Lentinus, 97; adhaerens, 97; crinitus, 278; cochleatus, 97; lepideus, 97, 98, 160, 161, 162, 163, 164; strigosus, 278; suavissimus, 97; tigrinus, 97, 160, 161, 162, 163, 164, 165; ur-sinus, 97; velutinus, 278; vulpinus, 97
Lenzites sepiaria, 98, 155, 156, 157, 161, 164; trabea, 98, 156, 157, 161, 164
Lepiota, 100; cristata, 243
Leptochrysomys, 183
Leptogium chloromelum, 82; chloromelum stellans, 82; tremelloides caesium, 82
Leptospora, 59; spermoides, 60; spermoides rugulosa, 59, 60
Leptosporella, 40, 47, 60; leptosporoides, 60
Leptothyrium pini, 123
Leptotrema polyporum, 79; simplex, 80; Wightii, 79, 80
Life histories and undescribed genera and species of fungi, C. L. Shear, 120
Limax maximus, 102
Linospora saligna, 181
Liriodendron tulipifera, 157
Liquidambar styraciflua, 157
Lonchocarpus, 74
Loranthomyces, 36, 39; epimyces, 39
Lupinus arboreus, 144
Lycoperdon, 100; gemmatum, 244
Lysiloma, 74, 78, 79, 83, 87
Maclura aurantiaca, 38
Macrophoma, 178
Magnusia, 125
Mangifera, 76
Marasmius, 243; oreades, 243; pice-ina, 241; pinastris, 241
Matayba, 79
Melancolis juglandis, 194
Melanconium oblongum, 194
Melampsoropsis, 183
Melanomma exile, 38
Melanopsamma Grevillii, 48
Melanotheca Achariana, 74; cruenta, 74
Melia Azedarach, 117
Melomastia Friesii, 111; mastoidea, 111
Merulius, 155; fugax, 99; incrassatus, 259; lacrymans, 155, 164, 258, 262, 263; spissus, 259
Miconia, 201
Microdiplodia spiraeicola, 241
Microglaena, 46; **Brittonii**, 69; saxi-cola, 69; **scopularis**, 69; brasili-ensis, 69
Microthyrium epimyces, 39
Mill fungi, Occurrence and identity of cotton, Walter H. Snell, 153
Monoblastia, 70, 71; palmicola, 71
Monograph of the Nitschkieae, Harry Morton Fitzpatrick, 23, 45
Morella cerifera, 115
Mortierella, 246, 255, 256; bainiere, 255; van tieghemi, 255
Morus alba, 239
Murrill, W. A., Dark-spored agarics—V. Psilocybe, 1; Florida fungi—I, 278; Poria Cocos, 105; Sullivant's Ohio fungi, 150; Virginia fungi, 243
Mycena galericulata, 243
Mycoglaena, 46
Mycoporellum Eschweileri, 76
Mycosphaerella oxycocci, 241
Myriangina, 197, 201, 202; **miconiae**, 201; mirabilis, 202
Myrianginella, 197; **Tapirae**, 197, 205
Myriangium, 203; duriaei, 203; tuberculans, 205

- Naucoria nigrella*, 18
Nectria, 108; *cinnabarina*, 33; *galligena*, 234; *ipomoea*, 233; *Peziza*, 108
Nectria ipomaea, The life history of, Melville T. Cook, 233
 Nectriaceae, 108
Nephrolepis, 89; *exaltata*, 89
Niesslia, 27; *chaetomium*, 38; *exilis*, 38, 39
Nitschkia, 23, 27, 28, 29, 34, 35, 37, 39, 40, 41, 42, 47, 54, 59, 62; *anceps*, 34; *Bambusarum*, 29, 37; *Beccariana*, 29; 55; *calyculus*, 51; *chiliopyxis*, 37; *collapsa*, 29, 52; *corticata*, 38; *crustacea*, 35; *cupularis*, 25, 27, 28, 29, 30, 31, 32, 33, 47; *euomphala*, 29, 54; *exilis*, 27, 29, 38; *flageoletiana*, 29; *floridana*, 31; *Fuckelii*, 25, 26, 27, 28, 29, 30, 33; *Granati*, 35; *javanica*, 29, 33; *moravica*, 29, 36; *paurida*, 30, 40; *pezizoidea*, 30, 51; *radicalis*, 30, 41; *recedens*, 41; *rugulosa*, 30, 60; *subconica*, 30, 36; *subconnata*, 30, 42; *suberis*, 36; *tristis*, 27, 30, 32, 45, 47, 48, 49, 50, 57; *Winteriana*, 30, 48, 50
Nitschkiaeae, 26, 29, 36, 39; Monograph of the, Harry Morton Fitzpatrick, 23, 45
Nummularia lutea, 129
 Occurrence and identity of cotton mill fungi, Walter H. Snell, 153
Ocellularia actinota, 79; *granulosa*, 79; *subtilis*, 79
Odontotrema hemisphaericum, 46
Oidium, 145
 Ohio fungi, Sullivant's, W. A. Merrill, 150
Opegrapha acicularis, 76; *Bonplandi*, 76; *calcareae*, 76; *lithyrgea*, 77; *lithyrgea notha*, 77; *lithyrgea*, 77; *oleaginea*, 77; *prosodea*, 77; *saxicola*, 77; *viridis*, 77
Omphalaria cubana, 82; *Girardi*, 82; *pyrenoides*, 82
Omphalea, 75, 76
Omphalia campanella, 243
Ophionectria, 109; *cylindrotheca*, 108, 109
 Overholts, L. O., The species of *Poria* described by Schweinitz, 207
Oxandra, 72, 77, 78, 80, 87
Pachyanthus, 76
Panaeolus, 99, 100; *campanulatus*, 243
Papulospora, 37
Parathelium indutum, 75
Parmelia abstrusa, 83; *latissima cris-
 tifer*, 84; *pluriformis*, 84; *steno-
 phylloides*, 84
Patellaria Sprucei, 80
Paxillus involutus, 243
Peltophorum, 74, 75, 83
Peniophora, 154; *gigantea*, 154, 164; *pubera*, 154, 164
Penzigia, 127
Pestalozzia, 195
Peridoxylon, 126, 127, 128; *petersii*, 129
Pertusaria velata, 83
Phaeographina cinereopruinosa, 78
Phallogaster saccatus, 99
Phallus impudicus, 101
Phaseolus vulgaris, 92
Pholiota Johnsoniana, 244; *platy-
 phylla*, 241; *praecox*, 243
 Phoma: A sample of mycological nomenclature and classification, C. L. Shear, 175
Phoma, 101, 130, 177, 179, 180; *hederae*, 176; *pustula*, 176, 177, 181; *saligna*, 177, 181
Phomopsis Citri, 149; *Pseudotsugae*, 190
Phyllachora, 197, 200
Phylloporina dilatata, 75; *phylogena*, 75
Phyllopsora cryptocarpa, 80; *furfuracea*, 81; *isidiotyia*, 81; *parvifolia*, 81
Phyllosticta, 130, 178; *bidwellii*, 131; *carpogena*, 131; *congesta*, 131; *solitaria*, 131
Phyllostictina carpogena, 129; *vac-
 cinii*, 131
Physalospora, 123; *carpogena*, 130; *murrayae*, 130
Physcia crisper, 87; *picta*, 88; *integrata*, 88; *integrata soresdiosa*, 88
Picea, 183, 185; *engelmanni*, 184, 186; *excelsa*, 184; *sitchensis*, 157
Pilacre Petersii, 98, 125
Pinus albicaulis, 193; *balfouriana*, 193; *Cembra*, 100; *koraensis*, 193; *Lambertiana*, 148; *monticola*, 148, 194; *palustris*, 157; *ponderosa*, 157; *strobiliformis*, 193; *strobis*, 157, 193, 194
Pistillaria, 148
Pleospora, 205
Pleuraea, 110; *fimiseda*, 110
Pleuroascus, 125
Pleurothelium inclinatium, 75
Pleurotus, 100; *ostreatus*, 144
Plicatura lateritia, 278
Plumeria, 73
Pluteus cervinus, 278
Pogonomyces hydroides, 279
Polyblastia, 71

- Polyporus, 226, 259; amygdalinus, 279; arcularius, 279; caeruloporus, 99; candidissimus, 208; caryae, 211; cinereus, 212; compactus, 99; durbanensis, 98; favesces, 214; flexilis, 98; internus, 215; ochroporus, 98; pulchellus, 219; rhododendri, 221; sassafras, 222; Schweinitzii, 97; trichiliae, 98; xantholoma, 230
- Polystictus, 189; abietinus, 189; biformis, 189; cinnabarinus, 189; conchifer, 189; floridanus, 189; hirsutus, 189; lacteus, 189; pargamenus, 189; pinsitus, 189; versicolor, 189
- Populus, 147; deltoides, 147; italica, 147
- Poria, 105, 106, 207, 211, 219, 263; atroporia, 259, 260; candidissima, 208, 209, 219; caryae, 211; cinerea, 212; cocos, 105; contigua, 221, 225, 228, 229; corticola, 214, 212; decolorans, 213; favesces, 214; feruginosa, 224, 229; hymenocystis, 209; incrassata, 258, 259, 263, 269, 272; interna, 215; juglandina, 215, 223; lactifica, 223, 224; medullapanis, 219, 220, 225, 230; merulioides, 209, 210; nigropurpurea, 216; nitida, 213; papyracea, 217; pinea, 259; pulchella, 219, 220, 222, 225; radula, 210; rixosa, 214; rhododendri, 221; sanguinolenta, 214; sassafras, 222; spissa, 223; subacida, 211, 220; subtile, 209; superficialis, 224, 225, 229; tenuis, 225, 229; tulipifera, 226; vaporaria, 218; vitellina, 226; viticola, 224, 225, 227, 228, 229; xantholoma, 230
- Poria Cocos, W. A. Murrill, 105
- Porina, 72; dilatata, 75; firmula, 71, 73; macrocarpa, 71; mastoidea, 72; nucula, 72; **subfirmula**, 72; Tetracerae, 73; variegata, 73; **Wilsonii**, 73
- Prunus, 122, 224
- Psathyra conica, 3
- Psathyrella, 1, 8
- Psilocybe, 1, 8, 15, 19; agrariella, 9; ammophila, 9, 20; arenulina, 6, 8; atrobrunnea, 21; atomatoides, 7; **caespitosa**, 5; **caerulescens**, 20; caerulipes, 9; camptopoda, 4, 5; canofaciens, 21; cavipes, 4; **castaneicolor**, 19; castaneifolia, 17; castanella, 10; cernua, 21; clivensis, 21; **Cokeri**, 12; conissans, 14; cystidiosa, 15; dichroa, 18; ericaea, 21; elongatipes, 11; foeniseii, 13; fuscofolia, 15; fuscofulva, 18, 19; graveolens, 21; larga, 19; **latispora**, 10; limicola, 14; limophila, 4; murcida, 21; nigrella, 17; obscura, 11; **panaeoli-formis**, 12; polycephala, 7; pulicosa, 22; phyllogena, 3; phyllogena modesta, 3; rhodophaea, 22; sabulosa, 5; semilanceata, 22; senex, 13; Sulivantii, 22; spadicea, 16, 17; spadicea polycephala, 7; squalidella, 6; squalidella macrosperma, 6; squalidella umbonata, 6; subagraria, 16; subericaea, 22; submaculata, 4; uda, 18; unicolor, 4, 5; **vialis**, 11
- Pseudocarpidium, 84, 87
- Pseudolmedia spuria, 76
- Pseudomonas alboprecipitans, 239
- Pseudotsuga taxifolia, 157
- Puccinia graminis Tritici, 97
- Purdiaea, 78, 83
- Pycnochytrium, 99
- Pycnoporus sanguineus, 279
- Pyrenopsis phaeococca, 81
- Pyrenula aurantiaca, 73; costaricensis, 73; leucoplaea, 73
- Pyropolyporus Calkinsii, 279; dependens, 279; ignarius, 244; Langloisii, 279
- Pyxine Coccoes, 87
- Quercus, 122; alba, 157
- Ramalina Montagnei, 84; usneoides, 84
- Reed, Geo. M., Varietal resistance and susceptibility of sorghum to Sphacelotheca Sorghi (Link) Clinton and Sphacelotheca cruenta (Kühn) Potter, 132
- Reticularia lycoperdon, 154, 164
- Rheedia, 75
- Rhizophora Mangle, 113
- Rhus, 122
- Ribes, 148
- Rinodina thysanota, 86
- Romellia, 41
- Rosa rugosa prostrata, 122
- Rosellinia, 111; breensis, 111; Coccoes, 111; diderma, 111
- Rubus, 122
- Russula delicata, 243; foetens, 243; furcata, 243; heterophylla, 101; nigricans, 101
- Sabal Blackburnianum, 108, 109, 110, 111, 113, 114, 115
- Sagedia, 73
- Salix, 122; alba vitellina, 239
- Sarcographa labyrinthica, 79
- Sarcosoma rufa, 128
- Sarcoxydon, 127; compunctum, 127; lycogaloides, 127
- Savia, 70; sessiliflora, 70, 74, 78
- Schizoparme**, 120, 123; **straminea**, 121, 122
- Schizophyllus alneus, 278

- Schizophyllum commune*, 239
Schweinitz, The species of *Poria* described by, L. O. Overholts, 207
Scleroderma aurantium, 244
Sclerotinia carunculoides, 239
Sclerotiopsis concava, 122
Selinia, 46
Septoria, 96; *Callistephi*, 96; *pallidula*, 241
Shear, C. L., Life histories and undescribed genera and species of fungi, 120; *Phoma*: A sample of mycological nomenclature and classification, 175
Sideroxylon, 87
Snell, Walter H., Occurrence and identity of cotton mill fungi, 153
Solenia fasciculata, 99
 Some observations on the development of *Endogone malleola* Hark., *Leva* B. Walker, 245
 Some *Pyrenomyces* of Bermuda, José Vizioli, 107
Sordariaceae, 110
Sorosporium Reilianum, 133
Spegazzinea rubra, 241
Sphacelotheca cruenta, 133, 134, 135, 138, 139, 140, 141; *Sorghii*, 132, 133, 134, 135, 138, 139, 140, 141
Sphaerella maculiformis, 56; *sagedioides*, 104
Sphaeria, 175, 179, 205; *berberidis*, 28; *calyculus*, 51; *chiliopyxis*, 37; *conferta*, 54, 55, 56, 57; *confertula*, 54, 55, 56, 57; *confluens*, 117; *cucurbitula*, 32; *cucurbitula nigrescens*, 27; *cupularis*, 27, 28, 32, 33, 50; *craterella*, 54, 57; *euomphala*, 53, 54, 56, 57; *exilis*, 27, 38, 39; *intorflexa*, 54, 57; *meliae*, 40; *navicularis*, 183; *pauridia*, 40; *phaeostroma*, 48, 49; *Pruni*, 27, 32; *pustula*, 175, 176, 181; *saligna*, 176; *subconnata*, 42; *tristis*, 27, 48, 49, 50, 53; *vibratilis*, 41
Sphaeriaceae, 25, 111
Sphaeriales, 25, 110
Sphaeronema fimbriatum, 233
Sphaerulina acori, 241
Spirama retorta, 281
Sporodinia grandis, 254
Sporonema quericolum, 122
Stemonitis, 153; *fusca*, 153, 164
Stereum radiatum, 99
Stevens, F. L., and *Weedon*, Amy G., Three new myriangiaceous fungi from South America, 197
Strigula antillarum, 75; *elegans*, 75; *elegans intermedia*, 76; *plana*, 76
Stropharia, 17, 191, 192, 244; *elegans*, 192; *rugoso-annulata*, 192; *semiglobata*, 243; *umbonatescens*, 191
Tabebuia, 70, 75, 78, 88
Taxodium distichum, 157
Thaxteria, 24, 29, 34, 37, 58, 59, 60; *didyma*, 61; *javanica*, 33; **leptosporoides**, 59; *spermoides*, 59
 The genus *Chrysomyxa*, *James R. Weir*, 183; life history of *Nectria ipomoea*, *Melville T. Cook*, 233; species of *Poria* described by *Schweinitz*, L. O. Overholts, 207
Theaceae, 78
Thelenella, 69
Thelotrema polyporum, 79; *simplex*, 80; *subtile*, 79
 Three new myriangiaceous fungi from South America, *F. L. Stevens* and *Amy G. Weedon*, 197
Thrinax, 70, 71, 73, 76, 77, 82, 87
Thuemanella javanica, 127
Thuja occidentalis, 219
Thyrea cubana, 82; *Girardi*, 82
Tilia americana, 157
Trachysphaeria fructigena, 188
Trametes amygdalina, 279; *carnea*, 158, 159, 164; *cubensis*, 279; *griseolilacina*, 98; *Keetii*, 98; *Pini*, 97; *robiniofila*, 146; *sepium*, 214, 215, 221, 222; *serialis*, 98, 158, 160, 161, 164; *setosa*, 229; *tomentosa*, 98; *tenuis*, 228, 229; *varians*, 98; *versatilis*, 99
Tremellodendron, 148
Trematosphaeria, 46; *confertula*, 55, 56
Trichophyton rubrum, 145
Trichosphaeria vagans, 52
Trichothyrium epimyces, 39
Thrombium echinulosporum, 68
Tryptelium aenum, 74; *catervarium*, 74; *eluteriae*, 74; *eluteriae nigricans*, 74; *infuscatulum*, 75; *mastoidium*, 75; *ochrothelium*, 75; *ochroleucum pallescens*, 75; *papillosum*, 75; *tropicum*, 75
Tuber aestivum, 236; *brumale*, 236; *macrosporum*, 236; *magnatum*, 236; *melanosporum*, 236
Tulasnella Violae, 98
Tympanopsis, 29, 37, 53, 57; *Baccariana*, 55; *colosphaerioides*, 57; *euomphalea*, 54, 55; ***uniseriata***, 58
Usnea florida strigosa, 84
Usnea implicita, 84
Uredo epidermoidalis, 183
Valsaceae, 114
 Varietal resistance and susceptibility of sorghums to *Sphacelotheca Sorghi* (Link) Clinton and *Sphacelotheca cruenta* (Kühn) Potter, *George M. Reed*, 132

- Venturia Chaetomium, 38
 Vizioli, José, Some Pyrenomyces of Bermuda, 107
 Volvaria esculenta, 100
- Walker, Leva B., Some observations on the development of Endogone malleola Hark., 245
 Weir, James R., The genus Chrysomyxa, 183
 Winterella, 45, 47; tuberculifera, 48
 Winteria, 24, 46; acuminans, 46; cembrincola, 46; coerulea, 46; crustosa, 46; excellens, 46; intermedia, 46; laricina, 46; lichenoides, 46; rhoina, 46; rhuina, 39; subcoerulescens, 46; tuberculifera, 30, 45, 46, 48, 50; tuberculifera caespitosa, 31; viridis, 46
 Winteriana tristis, 48
 Winterina, 27, 45, 46, 47, 50; calyculus, 51; pezizoidea, 51; tuberculifera, 47, 48
 Xylaria, 117; aristata, 117; axifera, 117; marasmoides, 117
 Xylariaceae, 116
 Xylocrea, 127
 Zythia resinae, 98